
American Standard

CODES AND STANDARDS

These products meet or exceed the following codes and standards:

ASME A112.18.1

GREEN TEA® IN-WALL DIVERTER VALVES



*			Finish Options	
KITS*	Product		Polished Chrome	PVD Stainless Steel
Σ	Number	Description	002	075
TR	T010.430	Diverter Valve Trim. Less valve.		


GH VALVE 30DIES	Product Number	Description
۵ <u>۳</u>	R420	Two-Way In-Wall Diverter. Less Handle.
RO	R430	Three-Way In-Wall Diverter. Less Handle.

** ROUGHS AND TRIMS MUST BE ORDERED SEPARATELY.


£	Meets the American Disabilities Act Guidelines and ANSI A117.1 Requirements for the physically aballanced
	physically challenged.

American Standard

MOMENTS® IN-WALL DIVERTER VALVES



ALL CONNECTIONS 1/2" NPT



GENERAL DESCRIPTION:

In-Wall Diverters: Rotational control alternates water flow between two (R420) or three (R430) different shower outlets (i.e. showerhead, handspray, body side spray or tub spout). Forged brass valve body. Mixed water inlet and two (R420) or three (R430) outlets are marked on back of valve body. 1/2" NPT connections on mixed water inlet and two (R420) or three (R430) outlets. Stamped brass escutcheon. Tub port with increased water flow (see chart).

PRODUCT FEATURES:

Solid Brass Construction: Durable, ideal material for prolonged contact with water.

Removable Plaster Guard: Permits checking of valve installation prior to installing trim parts.

Choice of Finishes: Wide range of durable finishes.

NOTE: Cannot be used as a shut-off valve.

SUGGESTED SPECIFICATION

Two (three) way diverter shall feature a forged brass body with 1/2" NPT mixed water inlet and outlets. Fitting shall be American Standard Model # T506.430. (Diverter Valve Trim) and R4_0. (Rough Valve Body).